

ROAD LIGHTING

Fundamentals, Technology and Application

Wout van Bommel

To be published December 14, 2014 by Springer

CONTENTS

Preface	1
Organizations	3
Part I Road Lighting	5
1 Purpose and Benefits of Road Lighting	7
2 Basic Lighting Quantities	11
2.1 Road-surface Luminance for Motorized Traffic	11
2.2 Illuminance for Pedestrians, Cyclists and Residents	13
2.2.1 Horizontal and Hemi-spherical Illuminance.....	13
2.2.2 Vertical and Semi-cylindrical Illuminance.....	14
3 Visual Performance for Motorists	15
3.1 Object Contrast.....	15
3.1.1 Contrast and Contrast Threshold.....	15
3.1.1.1 Field Factor.....	17
3.1.1.2 Contrast Polarity	17
3.1.1.3 Adaptation Luminance under Non-Uniform Conditions	18
3.1.1.4 Background Luminance under Non-uniform Conditions.....	19
3.1.1.5 Object Shape.....	19
3.1.2 Silhouette Principle of Road lighting	20
3.1.3 Contrast and Glare.....	22
3.1.3.1 Disability Glare.....	22
3.1.3.2 Spectrum and Disability Glare.....	25
3.1.3.3 LEDs and Disability Glare.....	25
3.1.4 Contrast and Vertical Illuminance.....	25
3.1.4.1 Vertical Illuminance and Glare Restriction	25
3.1.4.2 Vertical Illuminance and Reflection from the Road Surface	26
3.2 Threshold Visibility.....	26
3.2.1 Revealing Power	26
3.2.2 Total Revealing Power.....	30

3.3	Supra-threshold Visibility	31
3.3.1	Visibility Level.....	31
3.3.2	Small-Target Visibility.....	33
3.3.3	Relative Visual Performance.....	35
3.4	Visibility on Road Surrounds.....	38
3.5	Traffic Flow	41
3.6	Adverse Weather Conditions	42
3.6.1	Wet Weather.....	43
3.6.2	Snow.....	44
3.6.3	Fog.....	44
3.7	Fixed Road Lighting and Car Lights.....	44
3.7.1	Visibility of Objects on the Road	45
3.7.2	Glare from Oncoming Cars	46
3.8	Pedestrian Road Crossings.....	47
3.9	Optic Flow	49
3.10	Lighting, Brain Activity and Alertness.....	50
4	Visual Comfort for Motorists	55
4.1	Lighting Level	55
4.2	Uniformity	56
4.2.1	Longitudinal Uniformity	56
4.2.2	Luminance Gradient.....	57
4.3	Glare	58
4.3.1	Discomfort Glare.....	58
4.3.2	Spectrum and Discomfort Glare.....	60
4.3.3	Discomfort from Glare Variation	61
4.3.4	LEDs and Discomfort Glare.....	63
5	Visual Performance, Comfort and Pleasantness for Pedestrians, Cyclists and Residents	67
5.1	Visual Performance.....	67
5.1.1	Safety.....	67
5.1.2	Security.....	68
5.1.3	Visual Orientation and Guidance	73
5.2	Visual Comfort and Pleasantness.....	74
5.2.1	Spatial Brightness.....	74
5.2.2	Colour Quality of Light.....	75
5.2.3	Discomfort Glare.....	76
5.2.4	Impact during Daytime.....	76
5.3	Lighting level, Uniformity and Glare restriction	77
6	Mesopic Vision	81
6.1	Spectral Eye Sensitivity	81
6.2	On-line and Off-line Vision.....	83

6.3 S/P Ratio of Light Sources	85
6.4 Adaptation Luminance.....	86
6.5 Correction Factors for Photometric Quantities	87
6.5.1 Peripheral Task Performance	87
6.5.1.1 CIE Correction Factors	87
6.5.1.2 Consequences for Road Lighting Practice	90
6.5.2 Brightness.....	90
6.5.2.1 Models for Brightness Prediction	90
6.5.2.2 Consequences for Road Lighting Practice	91
7 Age Effects	93
7.1 Age and the Visual Mechanism.....	93
7.2 Age and Visual Performance	97
8 Lighting Quality Parameters.....	101
8.1 Motorized Traffic	102
8.1.1 Lighting Level.....	102
8.1.2 Uniformity.....	103
8.1.3 Lighting of the Surrounds	103
8.1.4 Glare Restriction	104
8.1.5 Summary	105
8.2 Pedestrians, Cyclists and Residents	105
8.2.1 Lighting Level.....	105
8.2.2 Uniformity.....	106
8.2.3 Lighting of the Surrounds	106
8.2.4 Glare Restriction	106
8.2.5 Summary	107
8.3 Spectrum of Light.....	108
9 Standards and Recommendations.....	109
9.1 CIE Recommendation.....	109
9.1.1 Lighting of Motorized-traffic Routes	110
9.1.2 Lighting of Conflict Areas	112
9.1.3 Lighting for Pedestrians and Low-speed Traffic	113
9.1.4 Spectrum of Light	115
9.1.5 Adaptive Lighting	115
9.2 European Standard.....	116
9.2.1 Lighting for Motorized Traffic Routes.....	116
9.2.2 Lighting of Conflict Areas	117
9.2.3 Lighting for Pedestrians and Low-speed Traffic	117
9.2.4 Spectrum of Light	118
9.2.5 Adaptive Lighting	119
9.3 North American Standard	120
9.3.1 Lighting for Roads with Motorized Traffic.....	120

9.3.2 Lighting for Intersections	121
9.3.3 Lighting for Pedestrian Areas and Bikeways	122
9.3.4 Pedestrian Crossings.....	122
9.3.5 Spectrum of Light.....	123
9.3.6 Adaptive Lighting.....	123
10 Equipment: Lamps and Gear	125
10.1 Performance Characteristics	126
10.1.1 Survey of Lamp Properties.....	126
10.1.2 System Efficacy.....	128
10.1.3 Lifetime and Lumen Depreciation.....	129
10.2 Gas Discharge Lamps	131
10.2.1 Principle	131
10.2.2 Low-pressure Sodium Lamps.....	133
10.2.2.1 Construction.....	133
10.2.2.2 Lamp Properties	134
10.2.3 High-pressure Sodium Lamps	135
10.2.3.1 Construction.....	135
10.2.3.2 Lamp Properties	136
10.2.4 Tubular-Fluorescent Lamps.....	138
10.2.5 Compact Fluorescent Lamps	138
10.2.5.1 Construction.....	138
10.2.5.2 Lamp Properties	139
10.2.6 Induction Lamps.....	141
10.2.6.1 Construction.....	141
10.2.6.2 Lamp Properties	142
10.2.7 High-pressure Mercury Lamps.....	142
10.2.7.1 Construction.....	142
10.2.7.2 Lamp Properties	143
10.2.8 Metal Halide Lamps	145
10.2.8.1 Construction.....	145
10.2.8.2 Lamp Properties	146
10.3 Solid-State Light Sources	148
10.3.1 Principle	148
10.3.1.1 Light Emission	148
10.3.1.2 White Light	150
10.3.2 LEDs	151
10.3.2.1 Construction.....	151
10.3.2.2 Lamp Properties	154
10.4 Control Gear	157
10.4.1 Igniters for Gas-Discharge Lamps.....	157
10.4.2 Ballasts for Gas-Discharge Lamps	158
10.4.3 Drivers for LEDs.....	160
10.4.4 Dimmers	161

10.4.4.1 Gas-Discharge Lamps.....	161
10.4.4.2 Solid-State Light Sources	162
10.4.5 Power Quality.....	163
10.4.5.1 Harmonic Distortion	163
10.4.5.2 Power Factor	164
10.4.6 Electromagnetic Interference	165
11 Equipment: Luminaires.....	167
11.1 Photometric Characteristics	167
11.1.1 Light Distribution and Light-output Ratio	168
11.1.2 Luminaire Classification	171
11.2 Optical Characteristics.....	174
11.2.1 Reflectors	174
11.2.2 Refractors and Lenses	175
11.2.3 Diffusers.....	176
11.3 Mechanical Characteristics.....	176
11.3.1 Material	177
11.3.2 Strength	177
11.3.3 Dirt and Humidity Protection	178
11.3.4 Installation and Maintenance.....	179
11.4 Electrical Characteristics	180
11.5 Thermal Characteristics	180
11.6 Safety Approval.....	181
11.7 Aesthetical Characteristics.....	181
11.8 Smart Luminaires.....	182
12 Equipment: Road Surfaces.....	183
12.1 Road-surface Reflection Table	183
12.2 Description System.....	186
12.3 Classification System.....	189
12.4 Influence of Spectrum of Light.....	192
12.5 Wet Road Surfaces	193
12.6 Q_0 and Visual Performance.....	196
12.7 Acquisition of Reflection Data	197
12.7.1 Laboratory Measurements.....	198
12.7.2 In-situ Measurements	198
12.7.3 Comparison of Materials and Construction Methods.....	198
13 Design Aspects	201
13.1 Lighting Arrangements.....	204
13.1.1 Effective Road Width.....	205
13.1.2 Single-sided Arrangement.....	205
13.1.3 Staggered Arrangement.....	206
13.1.4 Opposite Arrangement	206

13.1.5 Central Arrangement	207
13.1.6 Twin-central Arrangement	207
13.1.7 Irregular Arrangement	207
13.1.8 Catenary Installation	208
13.1.9 High-mast Lighting	209
13.2 Mounting Height and Spacing	210
13.3 Visual Guidance	211
13.4 Bad-weather Lighting	213
13.4.1 Wet Weather	213
13.4.2 Foggy Weather	215
13.4.3 Snowy Weather	217
13.5 Maintenance	217
13.6 Lighting Control	220
13.7 Light Pollution	222
13.8 Sustainability	222
13.9 Master Planning	224
14 Calculations and Measurements	227
14.1 Calculation Conventions	227
14.1.1 Calculation Points	228
14.1.2 Observer Position	229
14.1.2.1 Longitudinal Position	229
14.1.2.2 Transversal Position	231
14.2 Measurements	232
14.2.1 Light Detectors	233
14.2.1.1 Types	233
14.2.1.2 $V(\lambda)$ Correction	235
14.2.1.3 Cosine Correction	235
14.2.1.4 Pulsed Light Measurement	236
14.2.1.5 Ambient Influences	236
14.2.1.6 Age Effects	236
14.2.1.7 Accuracy	237
14.2.2 Measuring Lamps	238
14.2.2.1 Luminous Flux	238
14.2.2.2 Spectral Data	239
14.2.3 Measuring Luminaires	240
14.2.3.1 Light Distribution	240
14.2.3.2 Light Output	242
14.2.4 Measuring Road Surfaces	243
14.2.4.1 Laboratory Measurements	243
14.2.4.2 Field Measurements	245
14.2.5 Measuring Installations	247
14.2.5.1 Illuminance and Luminance Measurements	247
14.2.5.2 Glare Measurements	252

14.2.5.3 External Influences	252
Part II Light Pollution	255
15 Purpose of Light-Pollution Restriction.....	257
15.1 Balance of Positive and Negative Effects	257
15.2 Disturbing Effects.....	258
15.2.1 Residents	258
15.2.2 Motorised and Slow-moving Traffic	259
15.2.3 Astronomers	259
15.2.4 Wildlife	261
15.2.5 Vegetation	262
16 Light-Pollution Parameters	265
16.1 Parameter categories	265
16.2 Installation-bound Parameters	266
16.2.1 Parameters used by CIE	266
16.2.1.1 Upward Light Ratio ULR	266
16.2.1.2 Upper Flux Ratio UFR.....	267
16.2.1.3 Luminous Intensities near the Horizontal	269
16.2.2 Parameters used by IDA-IESNA.....	270
16.2.2.1 Total Initial Luminaire Luminous Flux	270
16.2.2.2 Virtual Flux Ratio	270
16.2.2.3 Virtual Vertical Illuminance	271
16.2.2.4 BUG Luminaire Classification	272
16.3 Disturbed-area-bound Parameters.....	273
16.3.1 Parameters used by CIE	273
16.3.1.1 Vertical Illuminance on Facades.....	273
16.3.1.2 Luminous Intensity	273
16.3.1.3 Facade Luminance	274
16.3.1.4 Veiling Luminance	275
16.4 Summary.....	275
16.4.1 CIE Parameters.....	275
16.4.2 IDA-IESNA Parameters	276
17 Standards and Recommendations.....	279
17.1 Environmental Zones and Curfew	279
17.2 CIE Guide.....	280
17.3 European Standards	282
17.4 North-American Recommendations	282
17.4.1 IDA-IESNA Ordinance for Road Lighting	283
17.4.2 IDA-IESNA Ordinance for Sports, Area and Architectural Lighting.....	284
17.4.2.1 Limit of Luminous Flux.....	284
17.4.2.2 Limit of BUG Ratings.....	285

17.4.2.3 Limit of Lighting on Surfaces of Virtual Enclosure	285
17.5 Spectrum of Light	286
18 Equipment and Design Aspects	289
18.1 Equipment	289
18.1.1 Lamps	289
18.1.2 Luminaires	290
18.1.3 Road Surfaces	291
18.1.4 Lighting Control Systems	291
18.2 Design aspects	292
18.2.1 Design to Satisfy Functional Requirements	292
18.2.2 Mounting Height and Aiming	292
18.2.3 Embedded Light	293
18.2.4 Spectrum of light	294
18.2.5 Screening by Structures and Trees	294
Part III Tunnel Lighting	295
19 Purpose and Benefits of Tunnel Lighting	297
20 Visual Performance and Sense of Confidence	301
20.1 Tunnel Zones	301
20.2 Threshold zone	303
20.2.1 Daytime Luminances in the Access Zone	303
20.2.2 Symmetrical, Counter-beam and Pro-beam Lighting	304
20.2.3 Influence of Traffic Speed	307
20.2.3.1 Adaptation State	307
20.2.3.2 Atmospheric Scattering	308
20.2.3.3 Difficulty of Driving Task	308
20.2.4 Uniform Field-luminance Concept	309
20.2.5 L ₂₀ Concept	310
20.2.6 Veiling-luminance Concept	311
20.2.7 Length of Threshold Zone	315
20.2.8 Sense of Confidence	315
20.3 Transition Zone	317
20.4 Interior Zone	320
20.5 Exit Zone	321
20.6 Uniformity and Glare Restriction	321
20.7 Flicker	322
20.8 Night-time Lighting	323
20.9 Emergency Lighting	323
20.10 Short Tunnels and Underpasses	324
20.10.1 Short Tunnels for Motorised Traffic	324
20.10.2 Underpasses for Pedestrians and Cyclists only	327

21 Standards and Recommendations.....	329
21.1 CIE Recommendation.....	329
21.1.1 Threshold Zone.....	329
21.1.2 Transition Zone.....	330
21.1.3 Interior Zone.....	331
21.1.4 Exit Zone.....	331
21.1.5 Uniformity and Glare Restriction.....	331
21.1.6 Restriction of Flicker.....	332
21.1.7 Switching Steps.....	332
21.1.8 Night-time Lighting.....	332
21.1.9 Short Tunnels.....	332
21.2 European Report.....	333
21.3 North American Standard.....	333
21.3.1 Threshold Zone.....	334
21.3.2 Transition Zone.....	335
21.3.3 Interior Zone.....	335
21.3.4 Exit.....	335
21.3.5 Uniformity and Glare Restriction.....	335
21.3.6 Restriction of Flicker.....	336
21.3.7 Switching Steps.....	336
21.3.8 Night-time Lighting.....	336
21.3.9 Short Tunnels.....	336
22 Equipment and Design Aspects.....	337
22.1 Lamps and Gear.....	337
22.2 Luminaires.....	339
22.3 Daylight Screens.....	340
22.4 Road and wall surface.....	341
22.5 Design Aspects.....	342
22.5.1 Tools for the determination of L_{20} and L_{seq}	342
22.5.1.1 Determination of L_{20}	342
22.5.1.2 Determination of L_{seq}	343
22.5.2 Lighting Arrangement.....	344
22.5.3 Daylight Variation and Lighting Control.....	346
22.5.4 Maintenance.....	346
Appendix A Illuminance Formulas.....	349
Horizontal illuminance, E_{hor}	349
Vertical illuminance, E_{vert}	349
Semi-cylindrical illuminance, $E_{semi-cyl}$	349
Hemispherical illuminance, $E_{hemisphere}$	349
Appendix B Visibility Formulas.....	351
Contrast Threshold.....	351

Contrast Threshold, C_{th}	351
Contrast Polarity Factor, F_{cp}	352
Age Factor, AF	352
Observation Time Factor, T_{obs}	352
Visibility Level	353
Visibility Level, VL	353
Small Target Visibility, STV.....	353
Relative Visual Performance	354
Appendix C Calculation of Q_0 from R-tables.....	357
Index	359